

SAFETY DATA SHEET

Manufacturer		Company	GASTEC CORPORATION	
information			Address	8-8-6 Fukayanaka, Ayase-city, Kanagawa 252-1195, Japan
			Telephone	+81-467-79-3910
			FAX	+81-467-79-3979
SDS ID	SDS_105_03		Issue date	31/May/2022
Product name		Hydrocarbons(Higher class) Detector Tube No.105		
Hazards identification		This detector tube, when based on GHS and JIS Z 7252(2019), is corresponded to an article. Under normal use conditions, emits only a small amount of chemical substances, for example, trace amounts of chemical substances, and can be handled as not showing physical and chemical hazards or health hazards to operators. Therefore, this product does not fall under the GHS classification standard.		
Composition and information on ingredients		A product made by impregnating alminium oxide($<10\%$) and porous silica gels($<10\%$) with oleum($<5\%$), selenium dioxide($<0.1\%$) and chromium(VI) oxide($<0.1\%$), and sealing them in glass tubes.		
First-aid measures		Eyes: If the filler enters the eye, immediately flush with plenty of water for at least 15 minutes and see a doctor. Skin: If the filler comes into contact with the skin, immediately wash with soapy water and flush with plenty of water. Inhalation: Not applicable. Ingestion: If the filler is swallowed, rinse the mouth immediately and see a doctor.		
Fire fighting measures		No special measures are needed.		
Accidental release measures		If the detector tube is broken, wear appropriate protective equipment to prevent the filler from adhering to or inhaling the skin or eyes.		
Handling and storage		Handling	When the ends of the detector tube are broken off to prevent injury, the detector tube is moved away from the eye. Do not touch with bare hands any cuts, fittings, or fillers in the event of breakage of the detector tube.	
				noved away from the eye. Do not touch with bare hands
		Storage		moved away from the eye. Do not touch with bare hands, or fillers in the event of breakage of the detector tube.
Exposure cor protection me		Storage Not applicable.	any cuts, fittings	moved away from the eye. Do not touch with bare hands, or fillers in the event of breakage of the detector tube.
protection me		Not applicable.	any cuts, fittings Store in a cold/d glass tube filled with a	moved away from the eye. Do not touch with bare hands, or fillers in the event of breakage of the detector tube.
protection me	chemical properties	Appearance: A Flash point: No Ignition point: Stability: Not a Reactivity: Not Conditions to a	any cuts, fittings Store in a cold/d glass tube filled with a t applicable. Not applicable. pplicable. applicable.	moved away from the eye. Do not touch with bare hands, or fillers in the event of breakage of the detector tube. ark place reagents and sealed at both ends.

Alminium oxide:

Acute toxicity:

Oral - rat LD50:> 5,000 mg/kg (IUCLID,2000)

```
Inhalation(dust,mist) - no data
                                         Selenium dioxide:
                                           Acute toxicity:
                                            Oral—rat LD50:48 mg Se/kg(SeO2 equivalent:67.5 mg/kg) (ATSDR,2003)
                                             Dermal—no data
                                             Inhalation(dust,mist) - no data
                                         Oleum:
                                           Acute toxicity:
                                            Oral-no data
                                              Dermal - no data
                                             Inhalation(dust,mist)—ratInhalationLC50:347ppm/1H
                                                                          (= 86.7 \text{ppm}/4\text{H} = 0.63 \text{ mg/L}/4\text{H})
                                                                             (assuming mist) (RTECS, 1995)
                                         Sulfuric acid:
                                           Acute toxicity:
                                            Oral - rat LD50:2140mg/kg(SIDS,2001)
                                            Dermal-no data
                                            Inhalation(dust,mist) — ratLC50(4-h exposure): 0.375mg/L(SIDS,2001)
                                         Chromium(VI) oxide:
                                           Acute toxicity:
                                            Oral—rat LD50:52-113mg/kg (EU-RAR,2005)
                                            Dermal—rabbit LD50:30mg Cr (VI) /kg (CrO3 equivalent:57.7 mg/kg)
                                                             (CICAD 78,2013/ATSDR, 2012)
                                             Inhalation(dust,mist) — ratLC50(4-h exposure): 0.217mg/L (EU-RAR,2005)
Ecological information
                                         No data
Disposal considerations
                                         This detector tube contains 0.78mg of hexavalent chromium and 3.56mg of selenium. Should
                                         be disposed properly in accordance with local regulations.
Transport information
                                         Avoid breakage of the detector tube due to dropping, pressurization, bending, etc.
                                         UN number: Not applicable
                                         UN Classification: Not applicable
                                         IATA: Not applicable
                                         Poisonous and Deleterious Substances Control Law: Not applicable
                                         Fire Defense Law: Not applicable
                                         Marine Regulation Information: Not applicable
Japanese regulatory information
                                         Industrial Safety and Health Law: Hazardous substance No.189(Article 57-2)
                                          References:
Other information
                                         Chemical Risk Information Platform (CHRIP): NITE
                                          Safety website in the workplace of the Ministry of Health, Labour and Welfare
                                         This data sheet is provided to businesses that handle hazardous chemical products as reference
                                         information for ensuring safe handling. With reference to this, business operators are
                                         requested to understand that they need to take appropriate measures in accordance with the
                                         actual conditions of individual handling, etc. at their own responsibility, and then use them.
                                         This data sheet is prepared based on JIS Z 7253(2019). The contents of this report have been
                                         prepared based on the latest information as of the date of revision, but if new information is
                                         obtained, it may be added or corrected.
                                         This data sheet is not a guarantee of safety.
```

Dermal - no data

Inhalation(vapor) - no data