

## **SAFETY DATA SHEET**

Manufacturer information			Company Address	GASTEC CORPORATION 8-8-6 Fukayanaka, Ayase-city, Kanagawa	
				252-1195, Japan	
			Telephone	+81-467-79-3910	
			FAX	+81-467-79-3979	
SDS ID	SDS_133TP_03		Issue date	31/May/2022	
Product name		Tetrachloroethylene Detector Tube No.133TP			
Hazards identification		This detector tube, when based on GHS and JIS Z 7252(2019), is corresponded to an article. Under normal use conditions, emits only a small amount of chemical substances, for example, trace amounts of chemical substances, and can be handled as not showing physical and chemical hazards or health hazards to operators. Therefore, this product does not fall under the GHS classification standard.			
Composition and information on ingredients		Pretreatment tube: A product made by impregnating alminium oxide(<10%) and porous silica gels(<10%) with sulfuric acid(5-15%) and lead(IV) oxide(<1%), and sealing them in glass tubes.  Detector tube: A product made by impregnating porous silica gels(<5%) with reagent(<1%), and sealing them in glass tubes.			
First-aid measures		Eyes: If the filler enters the eye, immediately flush with plenty of water for at least 15 minutes and see a doctor.  Skin: If the filler comes into contact with the skin, immediately wash with soapy water and flush with plenty of water.  Inhalation: Not applicable.  Ingestion: If the filler is swallowed, rinse the mouth immediately and see a doctor.			
Fire fighting measures		No special measures are needed.			
Accidental release measures		If the detector tube is broken, wear appropriate protective equipment to prevent the filler from adhering to or inhaling the skin or eyes.			
Handling and storage		Handling	detector tube is	of the detector tube are broken off to prevent injury, the moved away from the eye. Do not touch with bare hands as, or fillers in the event of breakage of the detector tube.	
		Storage	Store in a cold	dark place	
Exposure control and protection measures		Not applicable.			
Physical and chemical properties		Appearance: A glass tube filled with reagents and sealed at both ends. Flash point: Not applicable. Ignition point: Not applicable.			
Stability and reactivity		Stability: Not applicable. Reactivity: Not applicable. Conditions to avoid: Direct sunlight, high temperature, freezing should be avoided. Hazardous decomposition products: Not applicable.			
Toxicological information		Filled material is made by adsorbing a small amount of chemicals to alminium oxide and porous silica gels, and there is no hazard information for this. The following describes the hazards to humans of the chemicals and carries as a pure sobstance.			
		Alminium oxid Acute toxicity		5,000 mg/kg (IUCLID,2000)	

Dermal—no data Inhalation(vapor)—no data Inhalation(dust,mist)—no data

Lead(IV) oxide:

Acute toxicity: Oral—no data
Dermal—no data
Inhalation—no data

Sulfuric acid:

Acute toxicity: Oral—rat LD50:2140mg/kg (SIDS,2001)

Dermal - no data

Inhalation (dust) —ratLC50(4-h exposure): 0.375mg/L (SIDS,2001)

Ecological information	No data		
Disposal considerations	This detector tube does not contain any hazardous components. Pretreatment tube contains 36.96mg of lead. Should be disposed properly in accordance with local regulations.		
Transport information	Avoid breakage of the detector tube due to dropping, pressurization, bending, etc. UN number: Not applicable UN Classification: Not applicable IATA: Not applicable Poisonous and Deleterious Substances Control Law: Not applicable Fire Defense Law: Not applicable Marine Regulation Information: Not applicable		
Japanese regulatory information	Industrial Safety and Health Law: Hazardous substance No.189, 411, 613(Article 57-2)  PRTR: 1-305 Lead  Foreign Exchange and Foreign Trade Law: Goods of export trade control order (row 21-3,		
	appened table 2)		
Other information	References: Chemical Risk Information Platform (CHRIP): NITE Safety website in the workplace of the Ministry of Health, Labour and Welfare		
	This data sheet is provided to businesses that handle hazardous chemical products as reference information for ensuring safe handling. With reference to this, business operators are requested to understand that they need to take appropriate measures in accordance with the actual conditions of individual handling, etc. at their own responsibility, and then use them. This data sheet is prepared based on JIS Z 7253(2019). The contents of this report have been prepared based on the latest information as of the date of revision, but if new information is obtained, it may be added or corrected.		
	This data sheet is not a guarantee of safety.		