

Oral—rat LD50:> 5,000 mg/kg (IUCLID,2000)

Dermal—no data

Inhalation(vapor)—no data

Inhalation(dust,mist)—no data

Oleum:

Acute toxicity:

Oral—no data

Dermal—no data

Inhalation(dust,mist)—ratInhalationLC50: 347ppm/1H

(= 86.7ppm/4H = 0.63 mg/L/4H)

(assuming mist)(RTECS,1995)

Sulfuric acid:

Acute toxicity:

Oral—rat LD50: 2140mg/kg(SIDS,2001)

Dermal—no data

Inhalation(dust,mist)—ratLC50(4-h exposure): 0.375mg/L(SIDS,2001)

Ecological information	No data
------------------------	---------

Disposal considerations	This detector tube does not contain any hazardous components. Should be disposed properly in accordance with local regulations.
-------------------------	---

Transport information	Avoid breakage of the detector tube due to dropping, pressurization, bending, etc. UN number: Not applicable UN Classification: Not applicable IATA: Not applicable Poisonous and Deleterious Substances Control Law: Not applicable Fire Defense Law: Not applicable Marine Regulation Information: Not applicable
-----------------------	---

Japanese regulatory information	Industrial Safety and Health Law: Hazardous substance No.189(Article 57-2)
---------------------------------	--

Other information	References : Chemical Risk Information Platform (CHRIP): NITE Safety website in the workplace of the Ministry of Health, Labour and Welfare This data sheet is provided to businesses that handle hazardous chemical products as reference information for ensuring safe handling. With reference to this, business operators are requested to understand that they need to take appropriate measures in accordance with the actual conditions of individual handling, etc. at their own responsibility, and then use them. This data sheet is prepared based on JIS Z 7253(2019).The contents of this report have been prepared based on the latest information as of the date of revision, but if new information is obtained, it may be added or corrected. This data sheet is not a guarantee of safety.
-------------------	--
